

Hazard Assessment and Control: a handbook for Yukon employers and workers



Disclaimer

The information provided in this handbook is solely for the user's information and convenience and, while thought to be accurate and functional, it is provided without warranty of any kind. Further, if there is any inconsistency or conflict between any of the information contained in this handbook and the applicable legislative requirement, the legislative requirement shall prevail. If in doubt, please refer to the current edition of the *Workers' Safety and Compensation Act* and the *Workplace Health and Safety Regulations*. The Workers' Safety and Compensation Board, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of the information contained in this handbook.

This handbook is current to February 2024. The law is constantly changing with new legislation, amendments to existing legislation, and decisions from the courts. It is important that you keep up with these changes and keep yourself informed of the current law.

This handbook is for general information only and may be applicable to assist in conducting worksite hazard assessments. However, it is critical that you evaluate your own unique circumstances to ensure your hazard assessments accurately reflect the nature of your worksite(s). It is recommended you consult relevant professionals (for example health and safety professionals and specialists) to assist in the development of your hazard assessment.

Copyright and terms of use

Yukon kindly thanks Alberta for allowing the use of this material.

Published by the Workers' Safety and Compensation Board.

This material, including copyright and marks under the *Trade Marks Act (Canada)*, is used with the permission of its owner the Government of Alberta and is protected by law.

This material may be used, reproduced, stored or transmitted for non-commercial purposes; however, Crown copyright is to be acknowledged (Alberta). If it is to be used, reproduced, stored or transmitted for commercial purposes, written consent of the Minister is necessary (Alberta).

This publication is issued under the Open Government Licence – Alberta (<http://open.alberta.ca/licence>). Please note that the terms of this licence do not apply to any third-party materials included in this publication. Some content used in this publication is licensed third-party material.

Title: Hazard Assessment and Control: a handbook for Yukon employers and workers

Asset ID: ART-0147

Version: 02.00

Date of publication: February 2024

URL: wcb.yk.ca/hazardassessment



Contents

Introduction.....	2
Overview	3
Why do a hazard assessment?	3
What are the benefits of hazard assessment and control?	4
What are some of the challenges of conducting hazard assessments?	5
Are there different types of hazard assessments?	6
Formal hazard assessments.....	7
Who should participate?	8
When should you do a formal hazard assessment?	9
How do you do a formal hazard assessment?	10
STEP 1: Begin by figuring out what people do in the organization.....	11
STEP 2: List all work tasks or activities for each job	13
STEP 3: Identify any health and safety hazards related to each task or activity	14
STEP 4: Find ways to eliminate or control the hazards.....	17
STEP 5: Implement the selected controls.....	20
STEP 6: Communicate the hazards and follow the controls.....	21
STEP 7: Monitor the controls for their effectiveness.....	22
STEP 8: Review and revise hazard assessments.....	23
Formal hazard assessment and control: template and sample forms.....	24
Appendix: Site-specific (also known as field-level) hazard assessments	31
Who should be involved?	32
How often should they be repeated?.....	32
How do you do a site-specific hazard assessment?.....	32
Site-specific hazard assessment and control: template and sample forms.....	37
Additional resources.....	40
Occupational health and safety legislation	41



Introduction

Hazard assessments and controls help build safe and healthy workplaces. They are at the core of every organization's workplace health and safety management system.

In workplace health and safety, the names used for types/levels of hazard identification and risk management vary. You may have a form that does the same job but has a different name.

The hazard assessment and control process provides a consistent approach for employers and workers to identify and control hazards in the workplace. It allows everyone to focus their efforts in the right areas, and to develop policy, procedures, worker training, inspections, emergency response plans and other prevention programming and activities specific to the hazards at their worksites.

Yukon's workplace health and safety legislation requires employers to conduct hazard assessments and to eliminate the hazards identified. If they cannot be eliminated, the employer must introduce controls to protect against them.

While this handbook outlines the fundamental process for performing hazard assessments, employers will have to customize the process based on their business operations. Hazard assessments must reflect the specific needs of the operation.

Yukon's legislated workplace health and safety requirements (the law) are highlighted throughout this document along with various opportunities to go above and beyond the legal expectations for better health and safety performance. **Not all requirements under the *Workers' Safety and Compensation Act* and the Regulations are discussed in this handbook.**



Overview

Why do a hazard assessment?

No matter the size or type of business, there are situations, conditions or things that may be dangerous to the health and safety of workers, or others in the vicinity. Employers, supervisors, workers and other worksite parties (for example, contractors) must know what the workplace hazards are in order to address them.

A **hazard** is a thing or condition that may expose a person to a risk of injury including violence or harassment.

Common hazards in just about any workplace include things like:



manual material
handling



slips, trips
and falls



working alone



workplace harassment



hazardous
chemicals

Left unchecked, any one of these hazards has the **potential** to **impact** a person's quality of life in some way for some time.



back injury



broken arm



medical
emergency



absenteeism



chemical burn

It's your responsibility as an employer to ensure workplace hazards are identified, and **eliminated or controlled** so workers stay healthy and safe on the job.



use
mechanical
lift



keep floors
clean and dry



provide
communication device



provide
respectful
workplace
training



wear
protective
gloves



Hazard assessments are a core part of every health and safety management system. They allow the employer to focus their efforts in the right areas, and develop worker training, inspections, emergency response plans, etc., specific to the hazards on their worksite(s).

There's another good reason for an employer to do hazard assessments: it's the law.



Every employer must conduct hazard assessments in accordance with this section and in relation to each of the employer's workplaces, in order to identify existing and potential hazards in the workplace and to determine the extent of the risk of injury arising from those hazards.

Workplace Health and Safety Regulations, Part 1, section 1.03.01(1)

What are the benefits of hazard assessment and control?

Hazard assessments identify hazards so they can be eliminated or controlled before someone gets hurt.

The process of conducting hazard assessments and following through by introducing controls may also:

- **Inspire improvements in day-to-day operations** (for example maintenance, work procedures, worker training, process and design, purchasing, housekeeping). Workers can see how doing simple things like mopping-up spills or picking-up debris is more important than they might have thought. They become more proactive.
- **Show workers they are important and valued**, and demonstrate employer commitment. Feeling valued can inspire participation and ownership of workplace health and safety.
- **Focus attention on workplace health and safety**. Hazard assessments point to specific areas in need of improvement. They get people thinking—and talking—about health and safety.
- Result in **a more consistent, efficient and effective workplace**. One can expect that lowering the risk of a health and safety incident also lowers the number of productive hours lost to worker illness and/or injury.
- **Lower operating costs**. Fewer incidents means fewer claims filed with the Workers' Safety and Compensation Board (WSCB). Fewer claims means lower annual premiums.

What are some of the challenges of conducting hazard assessments?

Not all workplace hazards are obvious to everyone. Individuals bring their own experience and judgment to the task of identifying hazards.

Employers who don't appreciate the importance of hazard assessments are less likely to make them a priority.

The culture (attitudes and behaviours) of a workplace or an entire industry can build up a level of risk tolerance. Risk-taking may be an accepted part of the job. Workers may become complacent and begin to lower their guard over time, as high-hazard activities become familiar. Workers may even disregard the hazardous nature of a task because they take pride in the risky nature of their work.

Employers might overlook the importance of providing proper training and assign people without the skills or experience needed to conduct a hazard assessment.

New workers may simply not have the experience to identify the hazards at their work. More-experienced workers may have the most difficulty changing their behaviour. They are sometimes more likely to dismiss occupational health and safety initiatives as unnecessary.



Are there different types of hazard assessments?

Hazard assessments are formal assessments of a workplace that catalogue the hazards and are required by Part 1 sections 1.03.01(1) and 1.04 of the Regulations.

A **formal hazard assessment** takes a close look at the overall operations of an organization to identify hazards and develop, implement and monitor related controls. Worker jobs or types of work are broken down into separate tasks. Formal hazard assessments are detailed, can involve many people, including the health and safety committee or health and safety representative (as applicable), and require time to complete.

Some workplaces also do something called a site-specific hazard assessment. **Site-specific hazard assessments (also known as field-level assessments)** are used to address hazards that show up because of changing circumstances at a worksite. They check for hazards before work starts at a site and at a site where conditions change or when non-routine work is added. Any hazards identified are to be eliminated or controlled right away, before work begins or continues.

More information about conducting site-specific or field-level hazard assessments is provided at the end of this handbook as an appendix. See p. 31.

Job hazard analysis (JHA) is another type of hazard assessment which looks closer at the steps of a specific task performed at a worksite. The hazards, and ways to eliminate or protect from those hazards, are documented for each step. Once a JHA is completed all the information needed for a worksite-specific safe work procedure is available.

This handbook focuses on formal hazard assessments, with step-by-step guidelines on how to conduct them.




Formal hazard assessments

A **formal hazard assessment** involves a detailed look at an organization's overall operations. All worker jobs or types of work are broken down into separate tasks. The formal process is meant to identify and eliminate hazards. Where it's not possible to eliminate the hazard, instead develop, implement and monitor related controls. The end goal is to prevent work-related injuries and illnesses.

Formal hazard assessments are detailed. The process can involve many people and requires time to complete. It takes commitment and resources to do all the necessary steps. The investment is rewarded many times over with improved health and safety for everyone in the workplace.

Organization


Identify **jobs/types of work**



Identify **tasks** for each job/type of work



Identify **possible hazards** for each task



Who should participate?

A team approach is necessary. Different people have different ways of seeing things. Workers are the individuals doing the work and are in the best position to provide insight. You must involve affected workers.

Anyone who is conducting the hazard assessment must receive training so they know how to recognize, evaluate and control hazards. They should also understand the job tasks that they will be evaluating, and the experience/skill level of those who are doing the work.

If you have a joint health and safety committee or health and safety representative, be sure to get them involved. They represent an important part of the internal responsibility system where everyone in the workplace works as a team to ensure a healthy and safe environment.

Consult them throughout the process. **Resolve health and safety concerns together.**

Health and safety committees and health and safety representatives

Joint health and safety committees (JHSC) and health and safety representatives (HS representatives) support your workers' right to participate in workplace health and safety discussions and decision-making.

JHSCs and worker HS representatives promote awareness, interest, understanding and co-operation, and are an important part of an organization's internal responsibility system.

To determine if your organization is required to have a JHSC or worker HS representative, and to learn more about their roles, see sections 36 through 43 of the *Workers' Safety and Compensation Act*.

When should you do a formal hazard assessment?

Start the formal hazard assessment early when planning the workplace, workplace activities, or the development of your organization's health and safety system. Hazard assessments need to be done on a regular basis, before your business is up and running, and as you make changes. If you haven't done a hazard assessment yet, now is the time to start. Think about the consequences of failing to control risks and harming your workers and others through your business activities.



Every employer must conduct hazard assessments in relation to each of the employer's workplaces, in order to identify existing and potential hazards in the workplace and to determine the extent of the risk of injury arising from those hazards.

Workplace Health and Safety Regulations, Part 1, section 1.03.01(1)

A formal hazard assessment is the basis for the organization's entire health and safety prevention efforts. It outlines the hazards and points to the necessary control measures. This information can be helpful if you need to develop things such as worker training, emergency response planning and worksite inspections.

Employers will want to keep their health and safety activities in line with the organization's needs. If you already have controls in place, take the time to go back and conduct a formal hazard assessment to ensure all hazards have been identified and existing controls are effective.

As the organization's operations expand or changes are made to the way work is performed (in other words, before new worksites are constructed and/or equipment, processes or tasks are introduced), additional hazard assessments are required.



Hazard assessments under this section must be conducted

- (a) as frequently as is required to prevent the development of hazards;
- (b) as soon as is practicable after a significant change occurs in any of the following:
 - (i) the location or circumstances in which work takes place in the workplace,
 - (ii) the interactions that occur in the course of the performance of work in the workplace,
 - (iii) the physical location or layout of the workplace;
- (c) as soon as is practicable after an employer becomes aware of an incident or injury in the workplace involving a hazard that was identified when a previous hazard assessment was conducted; or
- (d) when ordered to be conducted by a safety officer.

Workplace Health and Safety Regulations, Part 1, section 1.03.01(4)



Even when nothing has changed, **hazard assessments must be reviewed periodically** to prevent the development of unsafe and unhealthy working conditions.

To meet legislated occupational health and safety requirements, it is recommended **the date is recorded on each hazard assessment**. This provides a record of the last revision date and may help determine whether or not the document requires an update.

How do you do a formal hazard assessment?

What follows are the basic steps to conducting a formal hazard assessment.

The size and complexity of business operations will influence your approach. You will want to tailor the process to your organization's specific needs. Make sure everyone involved understands their team members' experience and skill level, as well as the work processes under review.

The template on p. 24 may be helpful when conducting a formal hazard assessment. Be sure to customize this template so it applies to your specific work environment. See also the sample forms provided for reference on pp. 25 to 30.

The process involves several steps. Taking one step at a time can help it go smoothly.

The formal hazard assessment process – step by step

- 1 Figure out what people do.
- 2 List all work tasks or activities for each job.
- 3 Identify any health and safety hazards related to each task or activity.
- 4 Find ways to eliminate or control the hazards.
- 5 Implement the selected controls.
- 6 Communicate the hazards and follow the controls.
- 7 Monitor effectiveness of controls.
- 8 Review and revise the hazard assessment.

STEP

1

Begin by figuring out what people do in the organization.

Start by taking an inventory of all the jobs or work types within the organization.

You might develop or reference a list of positions or work types.

For example, in a **supermarket**, there are:



Contributing factors

When thinking about workplace hazards and how to eliminate or control them, consider these four main contributing factors to how hazards impact a workplace and the workers:

People



- Are they well trained/competent in performing the work?
- Are they overtired?
- What motivates them (for example speed or quality)?

Equipment



- Are tools and equipment appropriate for the task?
- Is the equipment properly installed?
- Is the equipment properly maintained?
- Are manufacturers' operating instructions being followed?

Materials



- What materials are being used?
- Are they being handled, stored and disposed of properly?

Environment



- Where is your worksite (for example an office, vehicle, field, etc.)?
- Does your work environment introduce any health and safety hazards?

Your workplace may have existing tools and information in place to help identify hazards. Hazard reports, incident reports (including near misses), equipment, preventive maintenance records, first aid logs and inspections can all be used to update hazard assessments on an ongoing basis.

STEP

2

List all work tasks or activities for each job.

From your inventory of all the jobs or work types in the organization, compile a list of related tasks for each.

Talk to the workers and spend time watching them work. Record the tasks or activities they do.

For example, a **grocery clerk** is responsible for:



scanning groceries



bagging groceries



stocking shelves



processing payment



assisting customers



sweeping/
cleaning up spills



STEP

3

Identify any health and safety hazards related to each task or activity.

Keeping workers healthy and safe involves identifying both health and safety hazards.

A **health hazard** is anything that could harm someone's health, either immediately or over time.

Health hazards



loud noises



repetitive movements



sun exposure



chemical exposure

The effects of health hazards are not always immediate. They can take years to appear. For this reason, health hazards themselves are often overlooked in the hazard assessment process.

A worker who is exposed to the sun on a regular basis may develop skin cancer over time. Early identification of sun exposure as a health hazard can introduce controls to minimize the hazard and safeguard the worker's health.

A **safety hazard** is anything that could cause injury or damage. An injury caused by a safety hazard is usually immediate (for example a broken bone, a sprain or a cut).

Safety hazards



falling objects



slippery surfaces



sharp equipment



icy roads

Safety hazards tend to get our attention in a hurry. When someone falls and breaks their back, for example, everyone takes note.

Workplace hazards by category

Workplace hazards can be grouped into four categories. They may include, but are not limited to:

Physical hazards



slippery/
uneven surfaces



repetitive
motions



lifting
heavy loads



extreme
temperatures



working around
moving equipment



vibration



noise



working at
heights



poor lighting



working around
vehicles

Chemical hazards



cleaning products/
solvents



battery acid



vapour
(spray paint)



hazardous
merchandise



maintenance
products



fumes



gases
(carbon monoxide)



by-products/
waste products
from a process



Biological hazards



viruses



mould



bacteria



body fluids



sewage



allergens



animal/pet waste

Psychosocial hazards



harassment



stress



fatigue



shiftwork



working alone



violence

In some situations, **the hazard can be a combination of two or more of the above**. More than one category of hazard may be present with each task.

STEP

4

Find ways to eliminate or control the hazards.

All identified hazards must be addressed.

You must eliminate hazards wherever you can. Removing tripping hazards or safely disposing of unwanted chemicals are examples of hazard elimination. **If hazards cannot be eliminated, they must be controlled.**

If an existing or potential hazard to workers is identified during a hazard assessment:

All reasonable precautions shall be taken, and measures implemented, to prevent occupational injuries and diseases to workers by:

- (a) eliminating hazards where possible,
- (b) controlling hazards through engineering and administrative procedures,
- (c) developing safe work procedures, and
- (d) providing the information, training and personal protective equipment where it is not possible to eliminate or control the hazards.


Workplace Health and Safety Regulations, Part 1, section 1.04

Your hazard assessment may reveal a lot of hazards. All hazards have to be addressed. It may not be realistic to address them all immediately. Prioritize the hazards you've identified and address those that pose the greatest risk right away. **Make sure you introduce interim controls for those hazards that may have to wait for more permanent solutions.**

Some control methods are more effective than others. Section 1.04 of the *Workplace Health and Safety Regulations* outlines the hierarchy of controls to follow. This is broken down further on the next page.




Hazard controls



What follows are examples of the various types of controls. They must be implemented in the order stated.

Engineering controls

Next to eliminating a hazard, controlling it at the source is the most effective means of preventing illness or injury to workers.



Administrative controls

When elimination isn't an option and engineered controls are not feasible, employers are expected to do what they can to introduce controls that change the way people work.

It is important to keep in mind that if engineering controls are needed, administrative controls such as maintenance and training will likely be needed as well.



conduct a
site-specific hazard
assessment



develop safe
work practices and
procedures



provide training
and supervision
for workers



limit exposure
time by
rotating jobs



display
warning signs

Personal protective equipment

Using personal protective equipment (PPE) is another important control to protect workers.

Please note that PPE is only effective if used properly, so training is required to keep workers safe.

PPE is the last line of defence and always used in conjunction with other controls, never on its own. For example: when a health care worker is transferring a patient they may use a lifting device (which comes with maintenance and training), undergo ergonomics training and use traction footwear and a face mask.

Another example is when a worker is using grinding equipment, they can suffer serious injury from unguarded moving parts of the machinery or sustain cuts, abrasions on sharp edges, burns or eye injuries. The grinding equipment should be adequately maintained, guarded and not left unattended while in operation. Operators need to be properly trained to use the equipment. They should wear hearing protection, safety goggles and appropriate safety footwear to mitigate further risks.



wear approved
footwear



wear safety
glasses



wear respirators



wear protective
gloves



wear reflective
vests



Personal protective equipment can only be effective if workers use it properly. For this reason, **employers must provide thorough and proper training** related to its use, care and limitations.



An employer must ensure that workers who may be required to use personal protective equipment are competent in the application, care, use, maintenance and limitations of the equipment.

***Workplace Health and Safety Regulations, Part 1, sections 1.09 - 1.11
Workers' Safety and Compensation Act, Section 27 (1)(g)***

If personal protective equipment is required for any tasks in your workplace, your hazard assessment and control record and/or safe work procedures must say so. These health and safety documents must also spell out the organization's process for training and monitoring its use.

Emergency response plan

The hazard assessment is also useful when putting together an emergency response plan—an important part of your health and safety program. An emergency response plan lays out procedures for handling sudden or unexpected situations, with the objective of preventing fatalities and injuries, reducing physical damage and returning to normal operations as soon as possible.

For instance, during the hazard assessment you may discover unrecognized hazardous conditions that could aggravate an emergency situation, therefore you can put procedures in place to eliminate them. The planning process may identify deficiencies, such as the lack of resources (equipment, trained personnel, supplies), or procedures that can be corrected before an emergency occurs. In addition, an emergency plan promotes safety awareness and shows the organization's commitment to the safety of workers.

STEP

5

Implement the selected controls.

Once you've identified the hazards and selected the best way to eliminate or control them, you need to follow through with action.

Have a plan to implement the identified controls and to confirm they are effective.

- Be prepared to introduce temporary controls when more permanent solutions will take time to implement.

As an example, you'll want to provide workers with hearing protection (personal protective equipment) until a sound barrier can be established (an engineering control) to control a noise hazard.

STEP

6

Communicate the hazards and follow the controls.

Workers have to know the hazards of their jobs and what to do to stay healthy and safe from the hazards at their workplace. It is the employer's responsibility to ensure the workers are knowledgeable about the hazards at their workplaces and how to protect themselves.

Share the results at the worksite

Make sure all affected workers are aware of and understand the hazards and follow or use the controls.

The methods used to communicate the information to the workers will depend on your organization. Some effective methods may include:

- worker orientation/training sessions
- worker mentorship
- discussing both the hazards and the controls during safety meetings
- using regular internal communication channels or resources (for example health and safety committee/HS representative, newsletters, intranet forums)



STEP

7

Monitor the controls for their effectiveness.

When we introduce controls, we might end up introducing new workplace hazards. By regularly monitoring and evaluating the controls, confirming workers are following correct procedures, and making sure equipment is appropriate and in good working condition, we can anticipate problems before the health and safety of workers is negatively affected.



eye protection might fog up,
resulting in impaired vision



engineered sound barriers might
have a negative affect on airflow

STEP

8

Review and revise hazard assessments.

The workplace is always changing. To keep workers healthy and safe, employers are required to review an existing hazard assessment and revise it accordingly when a new task, work process or equipment is introduced, or when there is a significant change to a worksite.

Even when nothing has changed, **hazard assessments must be reviewed periodically** to prevent the development of unsafe and unhealthy working conditions.

An employer must ensure that hazard assessments are conducted

- (a) as frequently as is required to prevent the development of hazards;
- (b) as soon as is practicable after a significant change occurs in any of the following:
 - (i) the location or circumstances in which work takes place in the workplace,
 - (ii) the interactions that occur in the course of the performance of work in the workplace,
 - (iii) the physical location or layout of the workplace;
- (c) as soon as is practicable after an employer becomes aware of an incident or injury in the workplace involving a hazard that was identified when a previous hazard assessment was conducted; or
- (d) when ordered to be conducted by a safety officer.

Workplace Health and Safety Regulations, Part 1, section 1.03.01(4)

Make sure to put the date on it.

You will want to retain up-to-date hazard assessments for the record.



Formal hazard assessment and control (template)

Job/position/work type:			Date of assessment:
Assessment performed by (names):			Reviewed/ revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
		Elimination: Eng: Admin: PPE:	
		Elimination: Eng: Admin: PPE:	
		Elimination: Eng: Admin: PPE:	
		Elimination: Eng: Admin: PPE:	

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.

Formal hazard assessment and control (sample form #1)

Job/position/work type: Volunteer canvasser			Date of assessment: March 23, 2023
Assessment performed by (names): Amy Stolz, Mgr Operations; Deb Lefevre, Volunteer Coordinator; Kate Burdett, Admin. Assistant; Manny Bridges, Health and Safety Committee member			Reviewed/ revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Driving to/from route	Adverse weather conditions	Elimination: Postpone to avoid snow storms and other extreme weather Eng: Confirm vehicle maintenance, wiper fluid and winter tires Admin: Schedule campaign for late spring; consult road report; follow organization's safe work practices on journey management	April 3, 2023
Canvassing door-to-door	Slippery surfaces	Admin: Volunteer orientation training (video) and policy to reinforce the use of sidewalks and handrails where available PPE: Wear non-slip footwear	April 29, 2023
	Robbery	Admin: Credit card payment enabled to reduce cash donations; direction to surrender cash in the event of robbery; money envelope to discretely store cash donations	April 3, 2023
	Angry residents	Admin: Clear identification of volunteer role and organization; policy to avoid knocking on doors with "No Soliciting" signage; policy to refrain from entering homes; canvassers should always be visible from roadway	April 3, 2023
	Working alone	Elimination: Require canvassers to go out in pairs Admin: Confirm cellphone working and fully charged before start of shift and emergency contact phone numbers PPE: Personal security alarm	April 3, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Formal hazard assessment and control (sample form #2)

Job/position/work type: Administration/office work			Date of assessment: February 15, 2023
Assessment performed by (names): Courtney Miller, Branch Manager; Jay Parsons, Sr. Accountant; Mark Phillips, Engineer/Health and Safety Representative			Reviewed/revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Operating PC (general computer tasks)	Extended periods of sitting	Eng: Ergonomic set-up of workstation Admin: Take micro-breaks to get up and stretch	April 19, 2023
	Glare from monitor	Eng: Anti-glare screens or monitors	April 20, 2023
Photocopying, faxing, stapling, hole punching	Repetitive motion	Admin: Take breaks as necessary	February 20, 2023
Refilling toners	Contact with chemicals/toner	Admin: Place toner lid from new cartridge on the old cartridge to prevent exposure; WHMIS training PPE: Use nitrile gloves	March 4, 2023
Filing	Awkward positions	Admin: Use stool; take breaks to stretch if required	February 20, 2023
	Struck by/crushed	Eng: Cabinet engineered to not allow more than one drawer to be open at a time (prevent tipping) Admin: Ensure cabinets are loaded from the bottom up	May 21, 2023
Operating paper shredder	Loose clothing or jewellery could be caught in shredder opening	Eng: Auto shut-off switch/emergency shut-off Admin: Ensure loose clothing, jewellery, long hair is tucked in before operating shredder; shred on a different day	February 20, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.

Formal hazard assessment and control (sample form #3)

Job/position/work type: Gas station attendant			Date of assessment: February 17, 2023
Assessment performed by (names): Drake Wilde, Owner; Jay Derrington, Attendant; Matt Jordan, Attendant/Health and Safety Representative			Reviewed/revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Cashier	Robbery	Eng: Physical barrier (kiosk) with limited public access; time-lock safe on site inside kiosk; panic button installed; maintain good visibility into and out of the worksite; video surveillance equipment installed and maintained Admin: Post signage with max. cash on site message; worker training in safe cash-handling procedures; limit the quantity of valuable items (for example lotto tickets, cash) present	April 29, 2023
	Working alone	Admin: Worker training in working alone procedures; clear sightlines; after-hours check-in schedule PPE: Personal emergency transmitter	April 29, 2023
Washroom maintenance	Exposure to chemicals/bio-hazards	Eng: Sharps containers Admin: WHMIS training; safe work procedures (for example sharps safe-handling procedures) PPE: Disposable gloves	May 8, 2023
Stocking items on shelves	Manual handling of materials	Admin: Standard operating procedures for materials handling; safe-lifting training	April 29, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Formal hazard assessment and control (sample form #4)

Job/position/work type: Shipper/Receiver			Date of assessment: January 17, 2023
Assessment performed by (names): Johanes Wolfrum, Warehouse Manager; Boris Phelps, Shipper/Receiver; Randy Smith, Inventory Control Clerk/Health and Safety Representative			Reviewed/revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Operating compactor/baler	Contact with moving parts	Eng: Equipment safeguards in place as per manufacturer's specifications Admin: Standard operating procedures for safe use of equipment	February 19, 2023
	Crushing/cutting	Eng: Emergency shutdown switch; alarm Admin: Worker training PPE: Steel-toed footwear; protective gloves	March 9, 2023
	Loud noises	PPE: Hearing protection	March 23, 2023
	Mechanical failure	Admin: Pre-use inspection; preventative maintenance policy	February 19, 2023
	Repetitive motion	Eng: Ergonomic design of processing area Admin: Training in safe lifting; scheduled breaks; job rotation	March 6, 2023
Operating forklift	Contact with moving equipment	Eng: Backup alarm Admin: Operator safety training	February 19, 2023
	Static posture	Eng: Adjustable cab ergonomics Admin: Scheduled breaks; job rotation	May 13, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.

Formal hazard assessment and control (sample form #5)

Job/position/work type: Grocery/Back Room Attendant			Date of assessment: January 13, 2023
Assessment performed by (names): Mary Miller, Supervisor; Jessica Hill, Back Room Attendant; Nirmal Sharma, Stockperson/Health and Safety Representative			Reviewed/revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Receiving	Unstable load/falling product	Admin: Worker to assess load for stability. If unstable to move, unload by hand until stable enough to move PPE: Worker to wear steel-toed boots	March 16, 2023
	Trailer shift or trailer movement	Admin: Follow safe work practice: lock trailer to loading gate	April 3, 2023
Stacking/storing overstock onto racking system	Product falling off racking from heights	Admin: Stack materials appropriately: heavy items on bottom racks, make sure materials are secured and not leaning, boxes must not be crushed PPE: Workers to wear hard hats and steel-toed boots	February 28, 2023
Stacking/storing overstock in coolers and freezers	Wet/slippy floors	Elimination: Clean-up floors using proper clean-up procedures PPE: Workers to wear slip-resistant steel-toed boots	March 16, 2023
	Working in cold	PPE: Wear appropriate cold-weather gear	March 16, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Formal hazard assessment and control (sample form #6)

Job/position/work type: Vacuum Truck Operator/Swamper			Date of assessment: December 16, 2023
Assessment performed by (names): Gordon Carr, Owner/Operator; Neil Skinner, Operator Trainee; Christian Avery, Health and Safety Coordinator/Representative			Reviewed/revised:
Tasks (List all tasks/activities of the job/position)	Hazards (List all existing and potential health and safety hazards related to the identified tasks)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment or a combination thereof)	Date implemented
Pre-trip inspection	Exposure to moving equipment	Admin: Follow company Safe Work Practice 001 - Controlled zone for pre-trip inspection (use of pylons) PPE: Reflective vest	January 23, 2023
	Awkward access points	Eng: Engine bonnet designed to stay in open position with hydraulic rams in place Admin: Company Driver Training Module 11 covers hazards associated with pre-trip inspection PPE: Coveralls, work gloves, work boots, hard-surface bump-hat	January 23, 2023
	Exposure to chemicals, fluids	Admin: Company Safe Work Practice 002 - Regular laundry of coveralls Admin: Use of funnels required when filling lubricants, fluids Admin: Review equipment list to ensure clean lines for transport of water PPE: Coveralls, work gloves, work boots, eye protection	January 23, 2023
	Icy or slick access points and work steps	Admin: 3-point contact entry and exit of vehicle (company Driver Training Module 11)	January 23, 2023
Travel to site	Adverse weather conditions	Admin: Consult road report; follow company Safe Work Practice 003 - Journey Management	January 23, 2023

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.

Appendix: Site-specific hazard assessments

- Site-specific hazard assessments (also called field-level hazard assessments) are in fact an administrative control used to address hazards that show up as a result of changing circumstances at a worksite.
- Site-specific hazard assessments check for hazards at a site before work starts and when conditions change or non-routine work is added. When workers travel to different worksites to perform work, a site-specific hazard assessment must be performed (for example, a work crew attends the scene of a downed power line to do repairs).
- Site-specific hazard assessments flag the hazards identified at the location (for example overhead power lines, poor lighting, wet surfaces, extreme temperatures, the presence of wildlife), or introduced by a change at the worksite (for example scaffolding, unfamiliar chemicals, introduction of new equipment).
- Site-specific hazard assessments also check to confirm that existing controls are in place (for example railings, equipment guards, personal protective equipment).
- Any hazards identified are to be eliminated or controlled right away, before work begins or continues.

Site-specific considerations

Legend

- Location-specific hazards
- Changes at the worksite




scaffolding



poor lighting



slippery surfaces



extreme temperatures



overhead power lines



wildlife



introduction of new equipment



unfamiliar chemicals



If a site-specific hazard assessment spots a hazard that was overlooked during the formal hazard assessment, the formal assessment should be updated to include it.

Who should be involved?

Those leading a site-specific hazard assessment must be competent in the task. They must understand the goal of the assessment, the worksite environment, and the experience and skill levels of those who are working on site. Typically, the supervisor would take the lead because they have this scope of knowledge and experience.

How often should they be repeated?

Site-specific hazard assessments must be conducted at worksites where the work environment itself is subject to change due to changing conditions. Shifts in weather, the arrival of new contractors and/or equipment or the introduction of new work processes can trigger the need for another assessment.

Remember the goal of site-specific hazard assessments is to keep everyone healthy and safe. Reassess your worksite as needed to stay on top of changing workplace hazards.

How do you do a site-specific hazard assessment?

There are different approaches to conducting a site-specific hazard assessment. What follows are a few basic steps.

First:

Take a look at the worksite and figure out what the tasks are for the day.

You'll want to consider the nature of the work that is being performed and who is scheduled to be doing it. This includes your workers, but may also include any other persons expected to be working on site that day.

Next: Identify any worksite hazards.

Remember, a hazard is any situation, condition or thing that may be dangerous to health and safety.



slippery surfaces



uneven ground



moving equipment
or vehicles



strong wind
(blowing debris)




extreme temperatures



poor lighting



missing controls





Materials

Think about the **materials** being used at the worksite, and the processes being followed.



Equipment

What kind of **equipment** is or is expected to be on site?



Environmental conditions

Are there any **environmental conditions** (for example rain, mud, wind) that could affect the site?



People

The **people** themselves should be a consideration here.

- What is the level of skill and experience on site?
- Are workers well trained/competent in performing the work?
- Are they working extra-long shifts (likely to be overtired)?
- Are they under pressure to stay on a tight schedule?
- Are visitors on site?

Then:

Eliminate or control the hazards you've identified.

All of the hazards identified must be either eliminated or controlled before work proceeds.




If an existing or potential hazard to workers is identified during a hazard assessment, an employer must take measures in accordance with this section by

- (a) eliminating hazards where possible,
- (b) controlling hazards through engineering and administrative procedures,
- (c) take into consideration the location and circumstances in which work takes place in the workplace; and
- (d) assess the likelihood that each identified hazard presents or will present a risk of injury.

Wherever possible, try to eliminate hazards. If they cannot be eliminated, they must be controlled in the order listed on the following page.

Workplace Health and Safety Regulations, Part 1, section 1.04



And:

Be sure to communicate the results.

To stay healthy and safe, all affected workers need to be aware of and understand the hazards and follow the controls.





Every employer shall ensure, so far as it is reasonably practicable for the employer to do so, that the employer's workers are made aware of any health and safety issues arising from the work being conducted at the worksite.

Workers' Safety and Compensation Act, section 3(2)(a)

It is the supervisor's responsibility to inform workers.



Every supervisor shall advise a worker of the existence of any potential or actual danger to the health or safety of the worker of which the supervisor is aware.

Workers' Safety and Compensation Act, section 7(c)

The template and sample forms on the next few pages cover the essential parts of a site-specific hazard assessment. You will want to customize the template so it applies to your specific work environment. If you face a lot of common hazards in your organization's work processes, consider including those in your form.

Site-specific (also known as field-level) hazard assessment and control (template)

Company name:	
Work to be done:	Date of assessment:
Task location:	Emergency meeting location:

Identify the tasks and hazards below, and the plans to eliminate/control those hazards

Tasks (List all tasks/activities)	Hazards (List both health and safety hazards and consider surrounding area)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment)
		Elimination: Eng: Admin: PPE:
		Elimination: Eng: Admin: PPE:

Please print and sign below (all members of the crew) prior to commencing work

By signing this form, you acknowledge that you understand the hazards and how to apply the methods to eliminate or control the hazards.

Worker's name (print)	Signature	Worker's name (print)	Signature

Supervisor's name (print):

Supervisor's signature:

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Site-specific (also known as field-level) hazard assessment and control (sample form #1)

Company name: YK Vac Services	
Work to be done: Loading water on site	Date of assessment: May 13, 2023
Task location: North Yard	Emergency meeting location: NE parking lot

Identify the tasks and hazards below, and the plans to eliminate/control those hazards

Tasks (List all tasks/activities)	Hazards (List both health and safety hazards and consider surrounding area)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment)
Arrival at site	Concurrent work - multiple vehicles entering and exiting yard area where task is to be completed	Admin: Work area to be cordoned off with pylons. Staff made aware of hazards. PPE: Wear high-visibility vests.
Setting-up job	People present in work area conducting inspection	Admin: Workers provided orientation. Workers required to stay with assigned staff throughout job. PPE: Wear high-visibility vests, safety glasses and hard hats.
Performing the job	Slip and fall as hole is being dug	Elimination: Remove trip hazards. Eng: If ground becomes too muddy, add traction with gravel. Admin: Watch footing. PPE: Wear cleats/slip-resistant steel-toed boots.

Please print and sign below (all members of the crew) prior to commencing work

By signing this form, you acknowledge that you understand the hazards and how to apply the methods to eliminate or control the hazards.

Worker's name (print)	Signature	Worker's name (print)	Signature
Mark Allanovic		Mark Zuckborj	
Steve Jobs			

Supervisor's name (print): Sylvester Stanley

Supervisor's signature:

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Site-specific (also known as field-level) hazard assessment and control (sample form #2)

Company name: Grab and Go Grocery	
Work to be done: Installation of new rotisserie oven	Date of assessment: October 1, 2023
Task location: Deli	Emergency meeting location: NW corner of parking lot

Identify the tasks and hazards below, and the plans to eliminate/control those hazards

Tasks (List all tasks/activities)	Hazards (List both health and safety hazards and consider surrounding area)	Controls (List the controls for each hazard: elimination, engineering, administrative, personal protective equipment)
Remove old rotisserie oven	Greasy surfaces and floors	Eliminate: Clean the oven. Clean any visible grease off floor. Engineering: Tape the oven shut and wrap in plastic wrap to contain any residue. PPE: Wear appropriate steel-toed boots.
	Awkward lifting/position	Engineering: Use a cart to transport oven. Admin: 2-person lift. Follow safe work procedures for lifting.
Install new rotisserie oven	Awkward lifting/position	Engineering: Use a cart to transport oven. Admin: 2-person lift. Follow safe work procedures for lifting.
	Exposure to electricity	Engineering: Lock out electrical for oven until fully installed.

Please print and sign below (all members of the crew) prior to commencing work

By signing this form, you acknowledge that you understand the hazards and how to apply the methods to eliminate or control the hazards.

Worker's name (print)	Signature	Worker's name (print)	Signature
Bradley Smith		Emma Rose	
Hannah Kvame		Angela Martin	

Supervisor's name (print): Jane Smith

Supervisor's signature:

This form is for example purposes only. Completing this form alone will not necessarily put you in compliance with the legislation. It is important and necessary that you customize this document to meet the unique circumstances of your worksite. Further, it is essential that this document is not only completed, but is used, communicated and implemented in accordance with the legislation. WSCB, its agents, employees or contractors will not be liable to you for any damages, direct or indirect, arising out of your use of this form.



Additional resources

Workers' Safety and Compensation Board (WSCB) – Hazard assessment

wcb.yk.ca/hazardassessment

Canadian Centre for Occupational Health and Safety (CCOHS) – Hazard control

ccohs.ca/oshanswers/hsprograms/hazard_control.html

Canadian Centre for Occupational Health and Safety (CCOHS) – Job safety analysis

ccohs.ca/oshanswers/hsprograms/job-haz.html



Occupational health and safety legislation

This handbook is current to February 2024. It references:

Workers' Safety and Compensation Act, RSY 2002, c.159

Workplace Health and Safety Regulations, OIC 2006/178 (as amended)

The current workplace health and safety legislation is available at:

laws.yukon.ca/cms/legislation-by-title.html

Contact us

Workplace Health and Safety

Phone 867-667-5450

Toll-free in Yukon: 1-800-661-0443

Or connect with us online

wcb.yk.ca





